



# STANDARDSMARK LICENCE

SAI Global hereby grants:

## Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

And

No. 1118 Huangjiao Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

### StandardsMark Licence

Manufactured to:

**AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent applications**

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee\* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

**Licence No: SMK26022**

**Issued :** 13 June 2020  
**Expires :** 11 June 2025

**Originally Certified :** 12 June 2020  
**Current Certification :** 12 June 2020

Heather Mahon  
General Manager Technical Services  
SAI Global Assurance



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to [www.saiglobal.com](http://www.saiglobal.com), for the list of product models.



# SCHEDULE TO STANDARDSMARK LICENCE

SAI Global hereby grants:

## Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

And

No. 1118 Huangjiao Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

StandardsMark Licence

Manufactured to:

**AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent applications**

Model identification of the goods on which the STANDARDSMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUD001 DN100-SN4	DN100 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	DN100	SN4	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN100-SN6	DN100 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	DN100	SN6	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN150-SN4	DN150 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	DN150	SN4	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN150-SN8	DN150 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	DN150	SN8	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN40	DN40 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	DN40	By Dimensions	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN50	DN50 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	DN50	By Dimensions	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN65	DN65 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	DN65	By Dimensions	Solvent cement	Light Grey	11 Jun 2020
AUD001 DN80	DN80 PVC Pipes for Drainage	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	DN80	By Dimensions	Solvent cement	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUD013 100	100 SPIGOT ADAPTOR	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 SPIGOT ADAPTOR	SPIGOT ADAPTOR	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD023 40	40 IRON ADAPTOR FEMALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 IRON ADAPTOR FEMALE	IRON ADAPTOR FEMALE	DN40	By Dimensions	Solvent cement-Spigot end	Light Grey	11 Jun 2020
AUD023 50	50 IRON ADAPTOR FEMALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 IRON ADAPTOR FEMALE	IRON ADAPTOR FEMALE	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD024 40	40 IRON ADAPTOR MALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 IRON ADAPTOR MALE	IRON ADAPTOR MALE	DN40	By Dimensions	Solvent cement-Spigot end	Light Grey	11 Jun 2020
AUD024 50	50 IRON ADAPTOR MALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 IRON ADAPTOR MALE	IRON ADAPTOR MALE	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD025 40	40 IRON CONNECTOR MALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD025 50	50 IRON CONNECTOR MALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD030 40	40 IRON CONNECTOR FEMALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 IRON CONNECTOR FEMALE	IRON CONNECTOR FEMALE	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD030 50	50 IRON CONNECTOR FEMALE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 IRON CONNECTOR FEMALE	IRON CONNECTOR FEMALE	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD034 100*50*50*40*40	100*50*50*40*40 FOUR WAY RISER	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50*50*40*40 FOUR WAY RISER	FOUR WAY RISER	DN100*50*50*40*40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD034 100*50*50*50*40	100*50*50*50*40 FOUR WAY RISER	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50*50*50*40 FOUR WAY RISER	FOUR WAY RISER	DN100*50*50*50*40	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUD034 80*50*40*40*40	80*50*40*40*40 FOUR WAY RISER	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*50*40*40*40 FOUR WAY RISER	FOUR WAY RISER	DN80*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUD07 50	50 VENT COWL	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 VENT COWL	VENT COWL	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC01 100	100 ACCESS COUPLING	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 ACCESS COUPLING	ACCESS COUPLING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDC01 150	150 ACCESS COUPLING	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 ACCESS COUPLING	COUPLING FOR THREADED CAP	DN150	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC02 100	100 COUPLING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 COUPLING F/F	COUPLING	DN100	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDC02 40	40 COUPLING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 COUPLING F/F	COUPLING	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC02 50	50 COUPLING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 COUPLING F/F	COUPLING	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC02 80	80 COUPLING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 COUPLING F/F	COUPLING	DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC03 100	100 Coupling with rubber	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Coupling with rubber	SLIP COUPLING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC03 150	150 Coupling with rubber	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 Coupling with rubber	SLIP COUPLING	DN150	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDC04	100 Long Coupling	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Long Coupling	EXPANSION COUPLING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDD01 100	100 FINISHING COLLAR AND GRATE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 FINISHING COLLAR AND GRATE	FINISHING COLLAR AND GRATE	DN150*DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDD02	100 Diamond Floor Drain	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Diamond Floor Drain	FLOOR DRAIN	DN100	By Dimensions	Solvent cement-Spigot end	Light Grey	11 Jun 2020
AUDD03	100 Round Floor Drain	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Round Floor Drain	FLOOR DRAIN	DN100	By Dimensions	Solvent cement-Spigot end	Light Grey	11 Jun 2020
AUDD04	100 Square Floor Drain	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Square Floor Drain	FLOOR DRAIN	DN100	By Dimensions	Solvent cement-Spigot end	Light Grey	11 Jun 2020
AUDE01 100	100 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°BEND F/F	BEND	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE01 150	150 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 88°BEND F/F	BEND	DN150	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE01 40	40 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 88°BEND F/F	BEND	DN40	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE01 50	50 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 88°BEND F/F	BEND	DN50	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE01 65	65 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 88°BEND F/F	BEND	DN65	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE01 80	80 88°BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 88°BEND F/F	BEND	DN80	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE010 100	100 88°BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°BEND M/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE010 40	40 88°BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 88°BEND M/F	BEND	DN40	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE010 50	50 88°BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 88°BEND M/F	BEND	DN50	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE010 65	65 88°BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 88°BEND M/F	BEND	DN65	by Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE011	100 15° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 15° BEND F/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE012	100 30° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 30° BEND F/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE013	100 15° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 15° BEND M/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE014	100 22° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 22° BEND M/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE015	100 11° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 11° BEND M/F	BEND	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDE02 100	100 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE02 40	40 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE02 50	50 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE02 65	65 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 100	100 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° BEND F/F	BEND	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 150	150 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 45° BEND F/F	BEND	DN150	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 40	40 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 45° BEND F/F	BEND	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 50	50 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 45° BEND F/F	BEND	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 65	65 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 45° BEND F/F	BEND	DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE03 80	80 45° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 45° BEND F/F	BEND	DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE04 100	100 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE05 100	100 45°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE06 100	100 45° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° BEND M/F	BEND	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE06 40	40 45° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 45° BEND M/F	BEND	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE06 50	50 45° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 45° BEND M/F	BEND	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE06 65	65 45° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 45° BEND M/F	BEND	DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE06 80	80 45° BEND M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 45° BEND M/F	BEND	DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE07 40	40 90° Bend M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 90° Bend M/F	BEND	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE07 50	50 90° Bend M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 90° Bend M/F	BEND	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE08 50*40	50*40 45° Reducing Bend	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50*40 45° Reducing Bend	REDUCING BEND	DN50*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDE09	100 5° BEND F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 5° BEND F/F	BEND	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDF02	100 Flange	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Flange	FLANGE	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDI01 100	100 INSPECTION TEST OPENING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 INSPECTION TEST OPENING F/F	INSPECTION TEST OPENING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDI02 100	100 INSPECTION TEST OPENING M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 INSPECTION TEST OPENING M/F	INSPECTION TEST OPENING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDO01	100 Off Set Pan Collar 20°	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Off Set Pan Collar 20°	PAN CONNECTOR	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDO02	100 Pan Connector Concentric	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Pan Connector Concentric	PAN CONNECTOR	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 100*40	100*40 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 100*50	100*50 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 100*65	100*65 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*65 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDR01 100*80	100*80 SOCKET REDUCER	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*80 SOCKET REDUCER	SOCKET REDUCER	DN100*DN80	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDR01 50*40	50*40 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN50*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 65*40	65*40 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN65*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 65*50	65*50 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN65*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 80*50	80*50 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN80*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR01 80*65	80*65 SOCKET REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*65 SOCKET REDUCER M/F	SOCKET REDUCER	DN80*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 100*50	100*50 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 100*65	100*65 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*65 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 100*80	100*80 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*80 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN80	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDR02 150*100	150*100 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150*100 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN150*DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 50*40	50*40 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50*40 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN50*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 65*40	65*40 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65*40 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN65*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 65*50	65*50 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN65*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR02 80*50	80*50 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN80*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.



# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDR02 80*65	80*65 LEVEL INVERT TAPER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*65 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN80*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR03 100*40	100*40 PIPE REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*40 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN40	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDR03 100*50	100*50 PIPE REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN50	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDR03 100*80	100*80 PIPE REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*80 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR03 50*40	50*40 PIPE REDUCER M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50*40 PIPE REDUCER M/F	PIPE REDUCER	DN50*DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDR04 100	100 Reducing Coupling M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Reducing Coupling M/F	REDUCING COUPLING	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDS01 100	100 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDS01 100*50	100*50 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDS01 100*65	100*65 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDS01 80*50	80*50 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDS01 80*65	80*65 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80*DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDT01 100	100 88° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88° JUNCTION F/F	SWEEP JUNCTION	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDT01 40	40 88° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 88° JUNCTION F/F	SWEEP JUNCTION	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDT01 50	50 88° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 88° JUNCTION F/F	SWEEP JUNCTION	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDT01 65	65 88° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 88° JUNCTION F/F	SWEEP JUNCTION	DN65	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT01 80	80 88° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 88° JUNCTION F/F	SWEEP JUNCTION	DN80	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT011 150*100	150*100 REDUCING TEE	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150*100 REDUCING TEE	45° JUNCTION	DN150*DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT012 150	150 88° JUNCTION	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 88° JUNCTION	SWEEP JUNCTION	DN150	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT013 150	150 45° JUNCTION WITH ONE THREAD END	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 45° JUNCTION WITH ONE THREAD END	45° JUNCTION	DN150	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT02 100	100 45° JUNCTION M/F WITH TWO THREAD END	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° JUNCTION M/F WITH TWO THREAD END	45° JUNCTION	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT03 100	100 45° JUNCTION F/F WITH ONE THREAD END	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° JUNCTION F/F WITH ONE THREAD END	45° JUNCTION	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT04 100	100 45° SIDE ACCESS JUNCTION LEFT F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° SIDE ACCESS JUNCTION LEFT F/F	SIDE ACCESS JUNCTION LEFT	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT05 100	100 45° SIDE ACCESS JUNCTION RIGHT F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 45° SIDE ACCESS JUNCTION RIGHT F/F	SIDE ACCESS JUNCTION RIGHT	DN100	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT06 100	100 45° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	AUDT06 45° JUNCTION	45° JUNCTION	DN100	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDT06 40	40 45° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 45° JUNCTION F/F	45° JUNCTION	DN40	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT06 50	50 45° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 45° JUNCTION F/F	45° JUNCTION	DN50	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT06 65	65 45° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 45° JUNCTION F/F	45° JUNCTION	DN65	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020
AUDT06 80	80 45° JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 45° JUNCTION F/F	45° JUNCTION	DN80	By Dimensions	Solvent cement- tapered socket	Light Grey	11 Jun 2020

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDT07 100	100 88°SIDE ACCESS JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°SIDE ACCESS JUNCTION F/F	SIDE ACCESS JUNCTION	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDT08 100	100 88°PLAIN JUNCTION F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 88°PLAIN JUNCTION F/F	PLAIN JUNCTION	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 100	100 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 DUST CAP	DUST CAP	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 150	150 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 DUST CAP	CAP	DN150	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 40	40 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	40 DUST CAP	DUST CAP	DN40	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 50	50 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	50 DUST CAP	DUST CAP	DN50	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 65	65 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	65 DUST CAP	DUST CAP	DN65	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW01 80	80 DUST CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	80 DUST CAP	DUST CAP	DN80	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020
AUDW03 100	100 THREADED CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 THREADED CAP	THREADED CAP	DN100	By dimensions	Solvent cement	Light Grey	11 Jun 2020
AUDW03 150	150 THREADED CAP	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	150 THREADED CAP	THREADED CAP	DN150	By Dimensions	Threaded end	Light Grey	11 Jun 2020
AUDW04 100	100 Floor Flange	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	100 Floor Flange	FLOOR FLANGE	DN100	By Dimensions	Solvent cement-tapered socket	Light Grey	11 Jun 2020

**End of Record**

**Licence No: SMK26022**

**Issued Date: 13 June 2020**

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.